

Smeta

SMETA ELECTRIC APPLIANCES CO.,LTD.
Smeta Industrial Park, No.71, Shuyun East Road,
Chengyang District, Qingdao,China.

Website : www.smetagroup.com
Email : info@smetagroup.com
Tel : +86532-80930500
Phone : +8615953202399



COMMERCIAL DISPLAY CASE

2023 Grow with Smeta





Contents



- 1** Display Cooler
01-14
- 2** Display Freezer
15-18
- 3** Display Warmer
19-25

ABOUT US

Grow with Smeta

Qingdao Smeta Electric Appliances Co., Ltd. (SMETA) was established in 1999. After many years of hard work, we have become a normalized and professional enterprise. Now SMETA has a staff of 600 persons and an annual output of 350 million Yuan. One sole proprietorship factory and two joint venture factories which are equipped with top-level production equipment and testing facilities can provide support for us.

Company Culture

At SMETA we work as a close-knit family, not only within ourselves but also with our clients. We believe that unity and teamwork make the path for our success. Our mutual trust fosters a culture that embraces curiosity and challenges, which allows us to exceed our clients expectations and succeed in every way.

Our Vision

To be the top manufacturer and exporter of electric home appliances, offering high quality products developed by creative thinking to ensure customers' total satisfaction.

Social Responsibility

Smeta is a great place to work. We care about our people and think about our employees as partners to cultivate the full potential of them and encourage them to pursue work-life balance.

We believe in the coexistence of humans and nature to reach the productive harmony, capable of fulfilling social and economic requirements for present and future generations.

Our Mission

We are customer-centric and create a future growth market. We encourage and demand in-depth development and responsible actions. We are always one step ahead of the competition.



01 Display Cooler

Right temperature for better display





4-Sided Glass Display

Model	TDS-58R(3)	TDS-78R(1R)
Capacity(L)	58	82
Temperature Range	0-12°C	0-12°C
Rated Input Power	190W	180W
Frigerant	R134a/R600a	R134a/R600a
Type of Climate	4	4
Product Dimentions(mm)	452*406*816	425*404*980
Packaging Dimentions(mm)	502*45)*855	480*450*1035
Weight(Net/Gross)(kg)	32/34	36/38.5
Loading (40HQ)	351pcs	238pcs



Glass Door Display

Model	TDS-78R-7	TSS-80WR
Capacity(L)	78	80
Temperature Range	0-12°C	2-12°C
Rated Input Power	180W	160W
Frigerant	R134a/R600a	R134a/R600a
Type of Climate	4	4
Product Dimentions(mm)	430*390*986	385*375*1040
Packaging Dimentions(mm)	485*445*1020	435*435*1085
Weight(Net/Gross)(kg)	42/45	37.5/39.5
Loading (40HQ)	238pcs	260pcs



Glass Door Display

Model	TSS-99WR	TDS-128WR(S)
Capacity(L)	90	128
Temperature Range	0-10°C	0-12°C
Rated Input Power	100W	253W
Frigerant	R134a/R600a	R134a / R600a
Type of Climate	4	4
Product Dimentions(mm)	620*534*712	910*510*575
Packaging Dimentions(mm)	700*655*765	1000*600*615
Weight(Net/Gross)(kg)	41/44	58/61
Loading (40HQ)	126pcs	168pcs



Standing Display

Model	TSS-208WR	TSS-280WR
Capacity(L)	208	280
Temperature Range	0-12°C	0-12°C
Rated Input Power	420W	380W
Frigerant	R134a / R600a	R134a / R600a / R290
Type of Climate	4	4
Product Dimentions(mm)	650*650*1262	515*485*1895
Packaging Dimentions(mm)	735*735*1407	580*540*1960
Weight(Net/Gross)(kg)	90/99	89/94.1
Loading (40HQ)	90pcs	80pcs



Standing Display

Model	TDS-270WBR(Y)	TDS-371WBR(Y)
Capacity(L)	295	420
Temperature Range	2-8°C	2-8°C
Rated Input Power	480W	540W
Frigerant	R134a / R290	R134a / R290
Type of Climate	4	4
Product Dimentions(mm)	915*675*1220	1225*680*1420
Packaging Dimentions(mm)	1025*765*1280	1350*790*1590
Weight(Net/Gross)(kg)	135/154	177/212
Loading (40HQ)	68pcs	23pcs



Standing Display

Model	TMS-480WBR	TDS-470WBR(Y)
Capacity(L)	480	500
Temperature Range	2-8°C	2-8°C
Rated Input Power	450W	500W
Frigerant	R134a / R290	R134a / R290
Type of Climate	4	4
Product Dimentions(mm)	900*1065*1385	1515*675*1220
Packaging Dimentions(mm)	1010*1185*1560	1600*743*1270
Weight(Net/Gross)(kg)	204/242	182/230
Loading (40HQ)	24pcs	46pcs





Standing Display

Model	TSS-550WBR	TDS-650WBR
Capacity(L)	550	650
Temperature Range	0-10/12°C	2-8°C
Rated Input Power	500W	480W
Frigerant	R134a / R290	R134a / R290
Type of Climate	4	4
Product Dimentions(mm)	850*650*1908	1200*805*1445
Packaging Dimentions(mm)	949*749*2060	1300*894*1660
Weight(Net/Gross)(kg)	192/210	190/220
Loading (40HQ)	36pcs	21pcs



Countertop Display

Model	TSH-67SR	TDS-105WBR
Capacity(L)	67	100
Temperature Range	2-12°C	0-12°C
Rated Input Power	110W	160W
Frigerant	R134a / R600a	R134a / R600a
Type of Climate	4	4
Product Dimentions(mm)	767*612*328	695*470*685
Packaging Dimentions(mm)	840*690*390	775*545*760
Weight(Net/Gross)(kg)	25/27	53.5/57
Loading (40HQ)	258pcs	204pcs



Countertop Display

Model	TDS-110WSR	TDS-118SR
Capacity(L)	110	118
Temperature Range	6-10°C	2-12°C
Rated Input Power	300W	110W
Frigerant	R134a / R600a	R134a / R600a
Type of Climate	3	4
Product Dimentions(mm)	750*775*610	695*882*417
Packaging Dimentions(mm)	840*810*671	775*955*490
Weight(Net/Gross)(kg)	64.8/67.1	38.5/41
Loading (40HQ)	84pcs	140pcs



Countertop Display

Model	TMS-125WBR	TDS-185WAR
Capacity(L)	125	185
Temperature Range	0-12°C	0-12°C
Rated Input Power	230W	278W
Frigerant	R134a / R600a	R134a / R600a
Type of Climate	4	4
Product Dimentions(mm)	702*568*686	1050*644*640
Packaging Dimentions(mm)	773*627*735	1130*710*700
Weight(Net/Gross)(kg)	54/56	62/67
Loading (40HQ)	162pcs	96pcs



Countertop Display

Model	TDS-201WBR
Capacity(L)	201
Temperature Range	0-12°C
Rated Input Power	400W
Frigerant	R134a / R600a / R290
Type of Climate	4
Product Dimentions(mm)	1217*590*685
Packaging Dimentions(mm)	1293*642*735
Weight(Net/Gross)(kg)	84.5/87
Loading (40HQ)	81pcs



Open Display

Model	TOS-186WBR	TOS-190WR
Capacity(L)	186	190
Temperature Range	2-10°C	2-10°C
Rated Input Power	3/4HP	1340W
Frigerant	R404a / R290	R404a/R290
Type of Climate	3	6
Product Dimentions(mm)	657*865*1065	700*780*1473
Packaging Dimentions(mm)	770*975*1240	765*820*1630
Weight(Net/Gross)(kg)	90/120	100/115
Loading (40HQ)	70pcs	40pcs



Open Display

Model	TOS-220WBR	TOS-286WBR
Capacity(L)	220	286
Temperature Range	2-10°C	2-10°C
Rated Input Power	1340W	3/4HP
Frigerant	R404a / R290	R404a / R290
Type of Climate	6	3
Product Dimentions(mm)	494*674*1742	657*865*1547
Packaging Dimentions(mm)	565*720*1918	760*975*1720
Weight(Net/Gross)(kg)	96/106	140/167
Loading (40HQ)	64pcs	35pcs



Open Display

Model	TOS-390WLR	TOS-360WR
Capacity(L)	320	360
Temperature Range	2-10°C	2-10°C
Rated Input Power	1400W	1400W
Frigerant	R404a/R290	R404a/R290
Type of Climate	4	4
Product Dimentions(mm)	918*792*1459	876*945*1656
Packaging Dimentions(mm)	990*880*1600	1020*940*1680
Weight(Net/Gross)(kg)	130.5/153	125/145
Loading (40HQ)	24pcs	24pcs



Open Display

Model	TOS-380WSR	TOS-700WLR
Capacity(L)	380	700
Temperature Range	2-10°C	2-10°C
Rated Input Power	1340W	2350W
Frigerant	R404a/R290	R404a
Type of Climate	6	3
Product Dimentions(mm)	1000*890*1520	1220*765*2070
Packaging Dimentions(mm)	1060*950*1700	1320*850*2230
Weight(Net/Gross)(kg)	107/129	190/213
Loading (40HQ)	24pcs	21pcs



Open Display

Model	TOS-770WBR	DOH-1210SR(W)
Capacity(L)	770	3*1/1 GN
Temperature Range	2-10°C	2-10°C
Rated Input Power	1HP	270W
Frigerant	R404a / R290	R134a / R600a / R290
Type of Climate	3	3
Product Dimentions(mm)	1313*865*1598	1210*765*1370
Packaging Dimentions(mm)	1405*955*1750	1300*855*1120
Weight(Net/Gross)(kg)	210/245	104/125
Loading (40HQ)	16pcs	46pcs



Salad Showcase

Model	TDS-42R	DOH-1200SR
Capacity(L)	42	5*1/4 GN
Temperature Range	0-12°C	0-12°C
Rated Input Power	190W	157W
Frigerant	R134a / R600a	R134a / R600a
Type of Climate	4	4
Product Dimentions(mm)	1177*420*265	1200*335*426
Packaging Dimentions(mm)	1267*510*360	1275*410*330
Weight(Net/Gross)(kg)	34.5/36.5	34.8/37.5
Loading (40HQ)	287pcs	322pcs



Salad Showcase

Model	TDS-103R	TDS-83R
Capacity(L)	5*1/2 GN	6*1/3 GN
Temperature Range	0-12°C	0-12°C
Rated Input Power	160W	160W
Frigerant	R134a / R600a	R134a / R600a
Type of Climate	3	3
Product Dimentions(mm)	1754*450*330	1483*450*330
Packaging Dimentions(mm)	1810*510*380	1539*510*380
Weight(Net/Gross)(kg)	44/48	39/43
Loading (40HQ)	168pcs	174pcs



Salad Showcase

Model	TDS-84BR	TOH-2000SR
Capacity(L)	6*1/3 GN	10*1/4 GN
Temperature Range	0-12°C	0-12°C
Rated Input Power	160W	170W
Frigerant	R134a / R600a	R134a / R600a
Type of Climate	3	4
Product Dimentions(mm)	1483*395*375	2000*335*426
Packaging Dimentions(mm)	1539*465*430	2075*410*330
Weight(Net/Gross)(kg)	47/50	51.5/54.5
Loading (40HQ)	222pcs	175pcs





Cake Display

Model	TSS-72WBR(R)	TSS-400WBR(R)
Capacity(L)	72	360
Temperature Range	0-10°C	2-8°C
Rated Input Power	230W	480W
Frigerant	R134a / R600a / R290	R134a / R290
Type of Climate	4	4
Product Dimentions(mm)	450*450*983	680*680*1750
Packaging Dimentions(mm)	500*500*1050	750*750*1930
Weight(Net/Gross)(kg)	38.5/41	127/140
Loading (40HQ)	184pcs	45pcs



Refrigerated Showcase

Model	TDS-255R
Capacity(L)	255
Temperature Range	2-12°C
Rated Input Power	200W
Frigerant	R134a / R600a
Type of Climate	3/4
Product Dimentions(mm)	1250*890*542/1080
Packaging Dimentions(mm)	1300*960*668
Weight(Net/Gross)(kg)	84/88
Loading (40HQ)	84pcs

02 Display Freezer
Keeps the good taste from melting





Ice Cream Display

Model	TSS-49WR(D)
Capacity(L)	49
Temperature Range	-13/-22°C
Rated Input Power	160W
Frigerant	R290
Type of Climate	4
Product Dimentions(mm)	620*575*552
Packaging Dimentions(mm)	700*655*605
Weight(Net/Gross)(kg)	35/38
Loading (40HQ)	228pcs



Ice Cream Display

Model	TDS-142WBR(D)
Capacity(L)	142
Temperature Range	-13/-22°C
Rated Input Power	860W
Frigerant	R404a
Type of Climate	6
Product Dimentions(mm)	1400*680*740
Packaging Dimentions(mm)	1457*786*940
Weight(Net/Gross)(kg)	139/164
Loading (40HQ)	44pcs



4-Sided Glass Display

Model	TSS-400WBR(D)
Capacity(L)	400
Temperature Range	-13/-22°C
Rated Input Power	980W
Frigerant	R404a
Type of Climate	6
Product Dimentions(mm)	650*650*1908
Packaging Dimentions(mm)	749*749*2060
Weight(Net/Gross)(kg)	210/225
Loading (40HQ)	45pcs



4-Sided Glass Display

Model	TSS-550WBR(D)
Capacity(L)	550
Temperature Range	-13/-22°C
Rated Input Power	1000W
Frigerant	R404a
Type of Climate	6
Product Dimentions(mm)	850*650*1908
Packaging Dimentions(mm)	949*749*2060
Weight(Net/Gross)(kg)	225/243
Loading (40HQ)	45pcs



4-Sided Glass Display

Model	TMS-600WBR(D)
Capacity(L)	600
Temperature Range	-18/-24°C
Rated Input Power	800W
Frigerant	R404a
Type of Climate	4
Product Dimentions(mm)	1240*1065*1385
Packaging Dimentions(mm)	1350*1185*1560
Weight(Net/Gross)(kg)	248/286
Loading (40HQ)	17pcs





Model	TSS-25HSR	TOH-26HBR
Capacity(L)	25	26
Temperature Range	30-90°C	50°C
Rated Input Power	800W	530W
Product Dimentions(mm)	554*376*311	641*330*448
Packaging Dimentions(mm)	624*457*362	660*235*385
Weight(Net/Gross)(kg)	12.4/14	9/11
Loading (40HQ)	665pcs	1233pcs



Model	TDS-45HSR	TDS-46HSR
Capacity(L)	45	46
Temperature Range	30-90°C	30-90°C
Rated Input Power	800W	500W
Product Dimentions(mm)	554*376*376	773*420*336
Packaging Dimentions(mm)	624*457*427	819*480*380
Weight(Net/Gross)(kg)	14.4/16.5	16/18
Loading (40HQ)	570pcs	462pcs



Model	TMS-50HSR	TDS-60HSR
Capacity(L)	50	60
Temperature Range	30-90°C	30-90°C
Rated Input Power	800W	950W
Product Dimentions(mm)	554*361*376	450x775x610
Packaging Dimentions(mm)	624*442*427	510x810x671
Weight(Net/Gross)(kg)	13.7/15.4	29/31
Loading (40HQ)	582pcs	171pcs



Model	TSH-67HSR	TDS-68HSR
Capacity(L)	67	68
Temperature Range	30-90°C	30-90°C
Rated Input Power	500W	800W
Product Dimentions(mm)	767*612*328	1127*420*336
Packaging Dimentions(mm)	840*690*390	1173*480*380
Weight(Net/Gross)(kg)	17.5/20	22/24
Loading (40HQ)	258pcs	336pcs



Model	TSS-76HAR	TSS-79HBR
Capacity(L)	76	79
Temperature Range	30-90°C	30-85°C
Rated Input Power	800W	400W
Product Dimentions(mm)	345*484*662.5	400*400*675
Packaging Dimentions(mm)	408*551*695	490*460*720
Weight(Net/Gross)(kg)	21.2/23	23/25
Loading (40HQ)	357pcs	360pcs



Model	TSS-97HSR	TDS-107HSR
Capacity(L)	97	107
Temperature Range	30-90°C	30-90°C
Rated Input Power	800W	1000W
Product Dimentions(mm)	460*448*785	645*487*657
Packaging Dimentions(mm)	534*537*833	719*537*705
Weight(Net/Gross)(kg)	22/24	22.4/24.5
Loading (40HQ)	252pcs	207pcs



Model	TMS-115HSR	TDS-120HSR
Capacity(L)	115	120
Temperature Range	30-90°C	30-90°C
Rated Input Power	1250W	1100W
Product Dimentions(mm)	700*400*500	678*568*686
Packaging Dimentions(mm)	782*482*548	749*627*731
Weight(Net/Gross)(kg)	19.7/22.2	35/38
Loading (40HQ)	288pcs	162pcs



Model	TMS-125HSR	TSS-158HSR
Capacity(L)	125	158
Temperature Range	30-90°C	30-90°C
Rated Input Power	1100W	1750W
Product Dimentions(mm)	678*568*686	600*642*700
Packaging Dimentions(mm)	749*627*731	698*698*750
Weight(Net/Gross)(kg)	48/50	32/34.5
Loading (40HQ)	162pcs	144pcs



Model	TOS-180HBR	TMS-186HAR
Capacity(L)	180	186
Temperature Range	30-80°C	30-90°C
Rated Input Power	2000W	1800W
Product Dimentions(mm)	494*600*1450	1214.5*484*662.5
Packaging Dimentions(mm)	560*666*1620	1278*551*695
Weight(Net/Gross)(kg)	57/66	53.5/56
Loading (40HQ)	69pcs	108pcs



Model	TOH-1490HSR(W)
Capacity(L)	4*1/1 GN
Temperature Range	30-90°C
Rated Input Power	2000W
Product Dimentions(mm)	1490*765*1370
Packaging Dimentions(mm)	1590*855*1120
Weight(Net/Gross)(kg)	109/159
Loading (40HQ)	28pcs



Model	TOS-HSR(2D)	TOS-85HBR(D)
Display Area(m ²)	0.48	0.85
Temperature Range	30-85°C	30-85°C
Rated Input Power	560W	1160W
Product Dimentions(mm)	625*467*650	800*707*691
Packaging Dimentions(mm)	690*535*700	866*767*736
Weight(Net/Gross)(kg)	25.6/28	41/44
Loading (40HQ)	219pcs	117pcs



Model	TOS-152HBR(D)
Capacity(L)	1.52
Temperature Range	30-85°C
Rated Input Power	2200W
Product Dimentions(mm)	1400*707*691
Packaging Dimentions(mm)	1486*860*705
Weight(Net/Gross)(kg)	74/78
Loading (40HQ)	60pcs