

Smeta

SMETA ELECTRIC APPLIANCES CO.,LTD.
Smeta Industrial Park, No.71, Shuyun East Road,
Chengyang District, Qingdao,China.

Website : www.smetagroup.com
Email : info@smetagroup.com
Tel : +86532-80930500
Phone : +8615953202399

MICROWAVE OVEN

2023 Grow with Smeta





Contents



- 1** Countertop Microwave
01-18
- 2** Built-In Microwave
19-22
- 3** OTR Microwave
23-26
- 4** Commercial Microwave
27-28
- 5** Oven
29-31

ABOUT US

Grow with Smeta

Qingdao Smeta Electric Appliances Co., Ltd. (SMETA) was established in 1999. After many years of hard work, we have become a normalized and professional enterprise. Now SMETA has a staff of 600 persons and an annual output of 350 million Yuan. One sole proprietorship factory and two joint venture factories which are equipped with top-level production equipment and testing facilities can provide support for us.

Company Culture

At SMETA we work as a close-knit family, not only within ourselves but also with our clients. We believe that unity and teamwork make the path for our success. Our mutual trust fosters a culture that embraces curiosity and challenges, which allows us to exceed our clients expectations and succeed in every way.

Our Vision

To be the top manufacturer and exporter of electric home appliances, offering high quality products developed by creative thinking to ensure customers' total satisfaction.

Social Responsibility

Smeta is a great place to work. We care about our people and think about our employees as partners to cultivate the full potential of them and encourage them to pursue work-life balance.

We believe in the coexistence of humans and nature to reach the productive harmony, capable of fulfilling social and economic requirements for present and future generations.

Our Mission

We are customer-centric and create a future growth market. We encourage and demand in-depth development and responsible actions. We are always one step ahead of the competition.





Model	TMD70-17MBSG(A3)	TMD70-20LBSG(KQ)
Capacity(L/Cu.Ft)	17/0.6	20/0.7
Power	700W	700W
Voltage/frequency	220-240V/50Hz	220-240V/50Hz
Dimension (mm)	452*360*262	452*335*262
Container Loading 40 HQ(PCS)	1404	1350



Model	TMD70-20MBSG(P)	TMD70-20MBSG(V4)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	220-240V/50Hz	220V/50Hz
Dimension (mm)	452*334*262	446*328*245
Container Loading 40 HQ(PCS)	1400	1647



Model	TMD70-20MBSM(NF)	TMD70-20MBSM(CGE)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	220V/60Hz	230V/50Hz
Dimension (mm)	440*360*259	440*346*259
Container Loading 40 HQ(PCS)	1336	1336



Model	TMD70-20LBSM(CC)	TMD70-20LBSM(CXN)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	230V/50Hz	230V/50Hz
Dimension (mm)	440*340*259	440*340*259
Container Loading 40 HQ(PCS)	1470	1336



Model	TMD70-20LBSM(CPK)	TMD70-20MBSG(ST)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	230V/50Hz	230V/50Hz
Dimension (mm)	440*340*259	452*320*262
Container Loading 40 HQ(PCS)	1336	1404



Model	TMD70-20MBSG(SEM)	TMD70-20MBSG(V2)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	220-240V/50Hz	220V/50Hz
Dimension (mm)	452*345*262	446*328*245
Container Loading 40 HQ(PCS)	1290	1647



Model	TMD70-20LBSG(V2)	TMD70-20LBSG(V4)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	220V/50Hz	220V/50Hz
Dimension (mm)	446*320*245	446*320*245
Container Loading 40 HQ(PCS)	1647	1647



Model	TMD70-20LBSG(S2)	TMD70-20LTSGU(HP3)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	220V/50Hz	110V/60Hz
Dimension (mm)	452*330*262	435*356*267
Container Loading 40 HQ(PCS)	1404	1290



Model	TMD70-20LTSGU(A9)	TMD70-20MBSG(T5)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	220V/50Hz	220V/50Hz
Dimension (mm)	452*395*262	452*346*262
Container Loading 40 HQ(PCS)	1290	1290



Model	TMD70-20MBSG(DB)	TMD70-20MBSG(SF)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	220V/50Hz	220V/50Hz
Dimension (mm)	452*360*262	452*320*262
Container Loading 40 HQ(PCS)	1290	1404



Model	TMD70-20MBSG(DE)	TMD70-20MBSG(XL)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	220-240V/50Hz;110-120V/60Hz	220-240V/50Hz
Dimension (mm)	452*330*262	452*358*262
Container Loading 40 HQ(PCS)	1404	1290



Model	TMD70-20MBSG(ZS)	TMD70-20MBSG(N9)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	220-240V/50Hz	220-240V/50Hz
Dimension (mm)	452*337*262	452*325*262
Container Loading 40 HQ(PCS)	1350	1404



Model	TMD70-20LBSG(QL)	TMD70-20MBSG(ZT)
Capacity(L/Cu.Ft)	20/0.7	20/0.7
Power	700W	700W
Voltage/frequency	220-240V/50Hz;110-120V/60Hz	220-240V/50Hz
Dimension (mm)	452*360*262	452*345*262
Container Loading 40 HQ(PCS)	1290	1290



Model	TMD90-23LBSG(XH)	TMD90-23LBSG(D4)
Capacity(L/Cu.Ft)	23/0.81	23/0.81
Power	900W	900W
Voltage/frequency	120V/60Hz	220-240V/50Hz
Dimension (mm)	17.8*12.9*10.3 inch	483*395*281
Container Loading 40 HQ(PCS)	900	900



Model	TMD90-23LBSG(H3)	TMD90-23LBSG(G3)
Capacity(L/Cu.Ft)	23/0.81	23/0.81
Power	900W	900W
Voltage/frequency	220-240V/50Hz	220-240V/50Hz
Dimension (mm)	483*372*281	281*483*396
Container Loading 40 HQ(PCS)	900	900



Model	TMD90-23LBMG(ZM)	TMD90-23LBMG(ZQ)
Capacity(L/Cu.Ft)	23/0.81	23/0.81
Power	900W	900W
Voltage/frequency	220-240V/50Hz	220-240V/51Hz
Dimension (mm)	504*408*303	504*408*303
Container Loading 40 HQ(PCS)	766	766





Model	TMD90-25LBMG(ZN)	TMD90-25LBSG(G3)
Capacity(L/Cu.Ft)	25/0.9	25/0.9
Power	900W	900W
Voltage/frequency	230V/50Hz	220-240V/50Hz
Dimension (mm)	504*408*305	483*422*281
Container Loading 40 HQ(PCS)	766	903



Model	TMD90-25LBSG(A3)	TMD90-25LBSG(ZWA)
Capacity(L/Cu.Ft)	25/0.9	25/0.9
Power	900W	900W
Voltage/frequency	110V~60Hz	220-240V/50Hz
Dimension (mm)	483*402*281	483*422 *281
Container Loading 40 HQ(PCS)	903	860



Model	TMD90-25LBSG(G4)	TMD90-25MBSG(T2)
Capacity(L/Cu.Ft)	25/0.9	25/0.9
Power	900W	900W
Voltage/frequency	220-240V/50Hz	220-240V/50Hz
Dimension (mm)	483*357*281	483*399*281
Container Loading 40 HQ(PCS)	903	860



Model	TMD90-25MBSG(Q2)	TMD90-25LBMG(B8N)
Capacity(L/Cu.Ft)	25/0.9	25/0.9
Power	900W	900W
Voltage/frequency	110V/60Hz	230-240V/50Hz
Dimension (mm)	483*418*281	483*420*281
Container Loading 40 HQ(PCS)	865	860



Model	TMD90-23LBSG(A9)	TMD100-28LBMM(S00A)
Capacity(L/Cu.Ft)	25/0.9	28/1
Power	900W	1000W
Voltage/frequency	230V/50Hz	110V/60Hz
Dimension (mm)	483*390*281	520*508*326
Container Loading 40 HQ(PCS)	900	611



Model	TMD90-25LBSG(H3)	TMD90-25MBSG(A9B)
Capacity(L/Cu.Ft)	25/0.9	25/0.9
Power	900W	900W
Voltage/frequency	220-240V/50Hz	220-240V/50Hz
Dimension (mm)	483*372*281	483*414*281
Container Loading 40 HQ(PCS)	903	860



Model	TMD90-30LBSG(ST)	TMD90-30LBSG(B6)
Capacity(L/Cu.Ft)	30/1.1	30/1.1
Power	900W	900W
Voltage/frequency	220-240V/50Hz	220-240V/50Hz
Dimension (mm)	539*406*300	539**445*300
Container Loading 40 HQ(PCS)	679	640



Model	TMD90-30LBMG(H3)	TMD90-30MBSG(D2)
Capacity(L/Cu.Ft)	30/1.1	30/1.1
Power	900W	900W
Voltage/frequency	220-240V/50Hz	220-240V/50Hz
Dimension (mm)	540*406*300	539*398*300
Container Loading 40 HQ(PCS)	679	693



Model	TMD100-30LBSG(J9)	TMD90-30LBSG(N9)
Capacity(L/Cu.Ft)	30/1.1	30/1.1
Power	900W	900W
Voltage/frequency	220-240V/50Hz; 110-120V/60Hz	220-240V/50Hz; 110-120V/60Hz
Dimension (mm)	539**445*300	539*406*300
Container Loading 40 HQ(PCS)	640	679



Model	TMD90-30LBSG(BM1)	TMD90-30LBMG(ZH)
Capacity(L/Cu.Ft)	30/1.1	30/1.1
Power	900W	900W
Voltage/frequency	220-240v/50Hz; 110-120V/60Hz	220-240V/50Hz
Dimension (mm)	539*396*398	539*429*300
Container Loading 40 HQ(PCS)	693	640



Model	TMD90-34LBMG(YC)	TMD100-38LBSG(G6)
Capacity(L/Cu.Ft)	34/1.2	38/1.3
Power	900W	1000W
Voltage/frequency	220V/50Hz	220V/50Hz
Dimension (mm)	572*376*498	553*491*311
Container Loading 40 HQ(PCS)	456	580



Model	TMD100-43LBSG(ZC)	TMD110-43LBMGU(SS)
Capacity(L/Cu.Ft)	43/1.5	45/1.6 Cu. ft
Power	1000W	1100W
Voltage/frequency	220V/50Hz	115V/60Hz
Dimension (mm)	553*515*311	553*453*313
Container Loading 40 HQ(PCS)	545	570



Model	TMD120-60LBSG(DP)
Capacity(L/Cu.Ft)	60/2.2
Power	1250W
Voltage/frequency	220V/50Hz
Dimension (mm)	628*490*359
Container Loading 40 HQ(PCS)	438

02 Built-In Microwave

Fits perfectly in your kitchen





Model	TMB90-23LBMG(LXG-RR04)	TMB90-23LBMG(XGA-RR04)
Capacity(L/Cu.Ft)	23/0.81	23/0.81
Power	900W	900W
Voltage/frequency	220-240V/50Hz	220-240V/50Hz
Dimension (mm)	595*350*390mm	595*350*390mm
Container Loading 40 HQ(PCS)	604	604



Model	TMB90-23LBSG(H3B)	TMB90-23LBSG(BMB)
Capacity(L/Cu.Ft)	23/0.81	23/0.81
Power	900W	900W
Voltage/frequency	110V/60Hz	110V/60Hz
Dimension (mm)	540*403*367	547*410*377
Container Loading 40 HQ(PCS)	635	635



Model	TMB90-25LBMG(XG-RR04)	TMB90-30LBMG(B5-RR00)
Capacity(L/Cu.Ft)	25/0.88	30/1.1
Power	900W	900W
Voltage/frequency	220-240V/50Hz	220-240V/50Hz
Dimension (mm)	595*395*390mm	595*312*372
Container Loading 40 HQ(PCS)	538	632



Model	TMB100-34LBMM(8S)	TMB90-34LTMG(YB)
Capacity(L/Cu.Ft)	34/1.2	34/1.2
Power	1000W / 1100W	900W
Voltage/frequency	230V/50Hz	220-240V/50Hz
Dimension (mm)	595*401*388	592*543*386
Container Loading 40 HQ(PCS)	345	342

03 OTR Microwave

Add more convenience to your kitchen





Model	TMO100-44LBSMU(BB)
Capacity(L/Cu.Ft)	45.3/1.6
Power	1000W
Voltage/frequency	120V/60HZ
Certification	UL
Packaging Dimension (mm)	845*490*510
Container Loading 40 HQ(PCS)	330



Model	TMO100-44LBSMU(CF)
Capacity(L/Cu.Ft)	45.3/1.6
Power	1000W
Voltage/frequency	120V/60HZ
Certification	UL
Packaging Dimension (mm)	845*490*510
Container Loading 40 HQ(PCS)	330



Model	TMO100-44LBSMU(JN)
Capacity(L/Cu.Ft)	45.3/1.6
Power	1000W
Voltage/frequency	120V/60HZ
Certification	UL
Packaging Dimension (mm)	845*490*510
Container Loading 40 HQ(PCS)	330



Model	TMD100-56DBSGU(JC)
Capacity(L/Cu.Ft)	50.97/1.8 Cu. ft
Power	1000W
Voltage/frequency	115V/60Hz
Certification	CB/CE
Dimension (mm)	758*453*429
Container Loading 40 HQ(PCS)	329



Model	TMD100-56LBSGU(JA)
Capacity(L/Cu.Ft)	50.97/1.8 Cu. ft
Power	1000W
Voltage/frequency	115V/60Hz
Certification	CE/CB
Dimension (mm)	758*453*429
Container Loading 40 HQ(PCS)	329



04 Commercial Microwave

Durable and Powerful





Model	TMD180-30LBSG(YL)
Capacity(L/Cu.Ft)	30/1.1
Power	1800W
Voltage/frequency	220V/50Hz
Dimension (mm)	490*637*405
Container Loading 40 HQ(PCS)	340



Model	TMD180-34LBSM(5MA)
Capacity(L/Cu.Ft)	34/1.2
Power	1800W
Voltage/frequency	230V/50Hz
Dimension (mm)	574*528*367
Container Loading 40 HQ(PCS)	375

05 Oven

Master the art of cooking





Model	TTB175-36EM(TR9)	TTB90-36EM(6HQ)
Capacity(L/Cu.Ft)	36/1.3	44/1.6
Power	1750W	1650W;1750W
Voltage/frequency	230V/50Hz	220-240V/50-63HZ
Dimension (mm)	454*595*525	454*595*568
Container Loading 40 HQ(PCS)	204	204



Model	TTB210-70MG(17A)	TTB325-70MMU(DO)
Capacity(L/Cu.Ft)	70/2.5	70/2.5
Power	2100W	3,250 W &2450W
Voltage/frequency	220-240V/50-60HZ	120/240V & 120/ 208V;50-60Hz
Dimension (mm)	595*570*595	595*575*595
Container Loading 40 HQ(PCS)	216	216



Model	TTB300-65MG(14A)	TTB300-65EG(11A)
Capacity(L/Cu.Ft)	65/2.3	65/2.3
Power	3000W	3000W
Voltage/frequency	220-240V/50-60HZ	220-240V/50-60HZ
Dimension (mm)	595*570*595	595*570*595
Container Loading 40 HQ(PCS)	216	216

