Smeta

SMETA ELECTRIC APPLIANCES CO., LTD. Smeta Industrial Park, No.71, Shuyun East Road, Chengyang District, Qingdao,China.

	Website : <u>www.smetagroup.cor</u>
\times	Email : <u>info@smetagroup.co</u>

- Tel : +86532-809<u>30500</u>
- Phone : +8615953202399









4-Sided Glass Display 01-02



Standing Display 03-04




Countertop Display 05-06



Open Display 07-09



Salad Showcase 10-11







ABOUT US

Grow with Smeta

Qingdao Smeta Electric Appliances Co., Ltd. (SMETA) was established in 1999. After many years of hard work, we have become a normalized and professional enterprise. Now SMETA has a staff of 600 persons and an annual output of 350 million Yuan. One sole proprietorship factory and two joint venture factories which are equipped with top-level production equipment and testing facilities can provide support for us.

Company Culture

At SMETA we work as a close-knit family, not only within ourselves but also with our clients. We believe that unity and teamwork make the path for our success. Our mutual trust fosters a culture that embraces curiosity and challenges, which allows us to exceed our clients expectations and succeed in every way.

Our Vision

To be the top manufacturer and exporter of electric home appliances, offering high quality products developed by creative thinking to ensure customers' total satisfaction.

Social Responsibility

Smeta is a great place to work. We care about our people and think about our employees as partners to cultivate the full potential of them and encourage them to pursue work-life balance.

We believe in the coexistence of humans and nature to reach the productive harmony, capable of fulfilling social and economic requirements for present and future generations.

Our Mission

We are customer-centric and create a future growth market. We encourage and demand in-depth development and responsible actions. We are always one step ahead of the competition.





Lan Pa

科理論



Model	TDS-78R(1R)
Capacity(Cu.Ft.)	2.9
Temerature Range	0-12°C
Rated Input Power	180W
Frigerant	R134a/R600a
Type of Climate	4
Product Dimentions(inch)	16.7*15.9*38.6
Packaging Dimentions(inch)	18.9*17.7*40.7
Weight(Net/Gross)(lbs)	79.4/84.9
Loading (40HQ)	238pcs











Model	TDS-270WBR(Y)	TDS-371WBR(Y)
Capacity(Cu.Ft.)	10.4	14.8
Temerature Range	2-8°C	2–8°C
Rated Input Power	480W	540W
Frigerant	R134a / R290	R134a / R290
Type of Climate	4	4
Product Dimentions(inch)	36.0*26.6*48.0	48.2*26.8*55.9
Packaging Dimentions(inch)	40.4*30.1*50.4	53.1*31.1*62.6
Weight(Net/Gross)(lbs)	297.6/339.5	390.2/467.4
Loading (40HQ)	68pcs	23pcs





Model	TDS-470WBR(Y)	TSS-550WBR
Capacity(Cu.Ft.)	17.7	19.4
Temerature Range	2–8°C	0-10/12°C
Rated Input Power	500W	500W
Frigerant	R134a / R290	R134a / R290
Type of Climate	4	4
Product Dimentions(inch)	59.6*26.6*48.0	33.5*25.6*75.1
Packaging Dimentions(inch)	63.0*29.3*50.0	37.4*29.5*81.1
Weight(Net/Gross)(lbs)	401.2/507.1	423.3/463
Loading (40HQ)	46pcs	36pcs





03 Countertop Display

Stylish Appearance, Bright Display





Model	TDS-105WBR	TMS-125WBR
Capacity(Cu.Ft.)	3.5	4.4
Temerature Range	0-12°C	0-12°C
Rated Input Power	160W	230W
Frigerant	R134a / R600a	R134a / R600a
Type of Climate	4	4
Product Dimentions(inch)	27.4*18.5*27	27.6*22.4*27
Packaging Dimentions(inch)	30.5*21.5*29.9	30.4*24.7*28.9
Weight(Net/Gross)(lbs)	117.9/125.7	119.0/123.5
Loading (40HQ)	204pcs	162pcs





Model	TDS-185WAR	TDS-201WBR
Capacity(Cu.Ft.)	6.5	7.1
Temerature Range	0-12°C	0-12°C
Rated Input Power	278W	400W
Frigerant	R134a / R600a	R134a / R600a / R290
Type of Climate	4	4
Product Dimentions(inch)	41.3*25.4*25.2	47.9*23.2*27.0
Packaging Dimentions(inch)	44.5*28.0*27.6	50.9*25.3*28.9
Weight(Net/Gross)(lbs)	136.7/147.7	186.3/191.8
Loading (40HQ)	96pcs	81pcs



000 Open Display Beautifully Designed , Well Constructed

ę.





Model	TOS-186WBR	TOS-190WR
Capacity(Cu.Ft.)	6.6	6.7
Temerature Range	2-10°C	2–10°C
Rated Input Power	3/4HP	1340W
Frigerant	R404a / R290	R404a/R290
Type of Climate	3	6
Product Dimentions(inch)	25.9*34.1*41.9	27.6*30.7*58
Packaging Dimentions(inch)	30.3*38.4*48.8	30.1*32.3*64.2
Weight(Net/Gross)(lbs)	198.4/264.6	220.5/253.5
Loading (40HQ)	70pcs	40pcs





Model	TOS-220WBR	TOS-286WBR
Capacity(Cu.Ft.)	7.8	10.1
Temerature Range	2-10°C	2-10°C
Rated Input Power	1340W	3/4HP
Frigerant	R404a / R290	R404a / R290
Type of Climate	6	3
Product Dimentions(inch)	19.4*26.5*68.6	25.9*34.1*60.9
Packaging Dimentions(inch)	22.2*28.3*75.5	29.9*38.4*67.7
Weight(Net/Gross)(lbs)	211.6/233.7	308.6/368.2
Loading (40HQ)	64pcs	35pcs

Model	
Capacity(Cu Et)	



Model	TOS-390WLR	TOS-360WR
Capacity(Cu.Ft.)	11.3	12.7
Temerature Range	2-10°C	2–10°C
Rated Input Power	1400W	1400W
Frigerant	R404a/R290	R404a/R290
Type of Climate	4	4
Product Dimentions(inch)	36.1*31.2*57.4	34.5*37.2*65.2
Packaging Dimentions(inch)	39.0*34.6*63.0	40.2*37.0*66.1
Weight(Net/Gross)(lbs)	287.7/337.3	275.6/319.7
Loading (40HQ)	24pcs	24pcs







TOS-380WSR

13.4
2-10°C
1340W
R404a/R290
6
39.4*35*59.8
41.7*37.4*66.9
235.9/284.4
24pcs

05 Salad Showcase

Refreshment

Intuitive Freshness And



Model

Capacity(Cu.Ft.) Temerature Range Rated Input Power Frigerant Type of Climate Product Dimentions(inch) Packaging Dimentions(inch) Weight(Net/Gross)(lbs) Loading (40HQ)



Commercial Display Case For North America Grow with Smeta

TDS-42R

1.5 0−12°C 190W R134a / R600a 4 46.3*16.5*10.4 49.9*20.1*14.2 76.1/80.5 287pcs

06 Cake Display 360-Degree Clear View



Model

Capacity(Cu.Ft.) Temerature Range Rated Input Power Frigerant Type of Climate Product Dimentions(inch) Packaging Dimentions(inch) Weight(Net/Gross)(lbs) Loading (40HQ)









TSS-400WBR(R)

12.7 2−8°C 480W R134a / R290 4 26.8*26.8*68.9 29.5*29.5*76.0 280/308.6 45pcs