Smeta

SMETA ELECTRIC APPLIANCES CO., LTD. Smeta Industrial Park, No.71, Shuyun East Road, Chengyang District, Qingdao,China.

	Website		www.smetagroup.com	r
--	---------	--	--------------------	---

- Email : <u>info@smetagroup.com</u>
- Tel : +86532-80930500
- Phone : +8615953202399











Refrigerator 01-10

Hotel Fridge 04-08 Gas Refrigerator 09-10



Freezer 11-14



Microwave & Oven 15-20



Dishwasher 21-22



Washing Machine 23-25



ABOUT US

Grow with Smeta

Qingdao Smeta Electric Appliances Co., Ltd. (SMETA) was established in 1999. After many years of hard work, we have become a normalized and professional enterprise. Now SMETA has a staff of 600 persons and an annual output of 350 million Yuan. One sole proprietorship factory and two joint venture factories which are equipped with top-level production equipment and testing facilities can provide support for us.

Company Culture

At SMETA we work as a close-knit family, not only within ourselves but also with our clients. We believe that unity and teamwork make the path for our success. Our mutual trust fosters a culture that embraces curiosity and challenges, which allows us to exceed our clients expectations and succeed in every way.

Our Vision

To be the top manufacturer and exporter of electric home appliances, offering high quality products developed by creative thinking to ensure customers' total satisfaction.

Social Responsibility

Smeta is a great place to work. We care about our people and think about our employees as partners to cultivate the full potential of them and encourage them to pursue work-life balance.

We believe in the coexistence of humans and nature to reach the productive harmony, capable of fulfilling social and economic requirements for present and future generations.

Our Mission

We are customer-centric and create a future growth market. We encourage and demand in-depth development and responsible actions. We are always one step ahead of the competition.

Refrigerator Cool Technology, Lead Fresh Life



Multi-Door-French Door

Model	TM-707WSHU	TM-808WSMU
Total Capacity(Cu.Ft)	20.9	21.7
Fridge compartment(Cu.Ft)	14.7	12.4+2.6
Freezer compartment(Cu.Ft)	6.2	6.6
Defrost Type	Frost-free	Automatic
Certification	UL	UL
Energy Efficiency	Energy Star	Energy Star
Refrigerant	R600a	R600a
Product(W*D*H)(inch)	36*28.6*70	35.8*29*69.9
Packaging(W*D*H)(inch)	37.5*30*73	38*31* 74
Loading (40HQ)(pcs)	36	48



Multi-Door-Side by Side

Model	TW-566WA1U
Total Capacity(Cu.Ft)	20
Fridge compartment(Cu.Ft)	13.8
Freezer compartment(Cu.Ft)	6.5
Defrost Type	Frost Free
Certification	UL
Energy Efficiency	Energy Star
Refrigerant	R600a
Product(W*D*H)(inch)	36*27.8*70
Packaging(W*D*H)(inch)	38.1*29.5*72.6
Loading (40HQ)(pcs)	48

Double Door-Top Mount

Model	TDT-510WSA1U	TDT-600WSA1U	
Total Capacity(Cu.Ft)	18.2	20.6	
Fridge compartment(Cu.Ft)	13.9	15.7	
Freezer compartment(Cu.Ft)	4.3	4.9	
Defrost Type	Frost Free	Frost Free	
Certification	R600a	R600a	
Energy Efficiency	Energy Star	Energy Star	
Refrigerant	UL	UL	
Product(W*D*H)(inch)	29.5*30.8*66.4	32.7*30.8*66.4	
Packaging(W*D*H)(inch)	30.7*32.1*69.7	34.9*32.9*69.7	
Loading (40HQ)(pcs)	61	41	

Double Door-Bottom Mount

Model

Total Capacity(Cu.Ft)	
Fridge compartment(Cu.Ft)	
Freezer compartment(Cu.Ft)	
Defrost Type	
Certification	
Energy Efficiency	
Refrigerant	
Product(W*D*H)(inch)	
Packaging(W*D*H)(inch)	
Loading (40HQ)(pcs)	







TDB-546WHU		
14.8		
10.8		
4		

Frost-free UL Energy Star R600a 27.6*26.8*67.7 29.5*28.9*71.9 67





Single Door-Mini Fridge

Model	TSF-48D6	TSF-95D6
Total Capacity(Cu.Ft)	1.7	3.2
Fridge compartment(Cu.Ft)	1.7	3.2
Freezer compartment(Cu.Ft)	/	/
Defrost Type	Manual	Manual
Certification	E	/
Energy Efficiency	SAA / ETL/CE/MEPS/PSE	SAA/ETL/DOE/CE
Refrigerant	R134a/R600a	R134a/R600a
Product(W*D*H)(inch)	17.7*17.7*20.1	18.5*17.7*33.5
Packaging(W*D*H)(inch)	19.5*18.3*20.9	20.5*18.3*34.1
Loading (40HQ)(pcs)	580	338





Hotel Fridge-Absorption-Glass Door

Model	TSX-30B2E(T)	TSX-40B2E
Net Capacity(Cu.Ft)	0.9	1.2
Input power	65W	65W
Energy consumption(Kwh/24h)	1	0.7
Certification	CE/CB/ETL	CE/CB/ETL
Product(W*D*H)(inch)	External:15.8*17.3*19.7;Internal:12.3*8.9*15.6	External:15.8*18.3*22.1;Internal:12.3*9.8*17.9
Packaging(W*D*H)(inch)	17.7*18.5*21.3	17.7*19.5*23.6
Loading (40HQ)(pcs)	620	496







Hotel Fridge-Absorption-Solid Door

Model	TSX-50B2E(T)	TSX-60B2E
Net Capacity(Cu.Ft)	1.5	1.6
Input power	90W	90W
Energy consumption(Kwh/24h)	1.2	0.7
Certification	CE/CB/ETL	CE/CB/ETL
Product(W*D*H)(inch)	External:15.8*18.3*26.4;Internal:12.3*9.8*22.2	External:18.1*18.9*23.8;Internal:14.2*10.4*19.7
Packaging(W*D*H)(inch)	17.7*19.5*28	19.7*20.5*25.2
Loading (40HQ)(pcs)	438	368



Hotel Fridge-Thermoelectric

Model	TSL-25EB7(E)	TSL-30EB7(11)
Net Capacity(Cu.Ft)	0.7	0.9
Input power	60W	65W
Energy consumption(Kwh/24h)	0.3	0.28
Certification	CE / CB / CCC / ETL / ROHS / REACH	ETL / ROHS / CCC / CE / CB
Product(W*D*H)(inch)	15.8* 13.8* 17.6	15*17.3*18.3
Packaging(W*D*H)(inch)	18*15.9* 19.2	16.9*20.3*20.5
Loading (40HQ)(pcs)	725	615



Hotel Fridge-Thermoelectric

Model	TSL-32EB7(E)	TSL-40EB7(A)
Net Capacity(Cu.Ft)	0.9	1.1
Input power	65W	65W
Energy consumption(Kwh/24h)	0.4	0.6
Certification	CE / CB / CCC / ETL / ROHS / REACH	ETL / ROHS / CCC / CE / CB
Product(W*D*H)(inch)	15*17.5*18.7	15.9*17.4*21.5
Packaging(W*D*H)(inch)	16.9*20.3*20.5	18.1*19.5*23
Loading (40HQ)(pcs)	615	549



Hotel Fridge-Thermoelectric

Model	TSL-40EB7(B)	TSL-36EB7(B)	
Net Capacity(Cu.Ft)	1.1	1.3	
Input power	65W	65	
Energy consumption(Kwh/24h)	0.6	0.5	
Certification	ETL / ROHS / CCC / CE / CB	ETL/CE/ROHS	
Product(W*D*H)(inch)	15.9*17.4*21.5	15*17.5*18.7	
Packaging(W*D*H)(inch)	18.1*19.5*23	16.9*20.1*20.5	
Loading (40HQ)(pcs)	549	615	







Hotel Fridge-Thermoelectric

Model	TSL-50EB7(BG)		
Net Capacity(Cu.Ft)	1.3		
Input power	65		
Energy consumption(Kwh/24h)	0.6		
Certification	CCC / CE / CB / ETL / REACH / RoHS		
Product(W*D*H)(inch)	15.9*19.2*21.5		
Packaging(W*D*H)(inch)	18.1*21.3*23		
Loading (40HQ)(pcs)	440		



Hotel Fridge-Thermoelectric

Model	TSL-48EB7(C)	TSL-70EB7
Net Capacity(Cu.Ft)	1.7	2.5
Input power	83	83
Energy consumption(Kwh/24h)	0.6	0.7
Certification	ETL/ROHS/CCC/CE/CB/SAA	CB/ETL/CE/SAA
Product(W*D*H)(inch)	16.9*18.9*20.1	16.9*20.5*29.1
Packaging(W*D*H)(inch)	18.1*20.1*21.1	18.3*21.7*30.7
Loading (40HQ)(pcs)	548	361





Gas Refrigerator

Model	TSG-40B1(A)	TSG-60B1(A)
Total Capacity(Cu.Ft)	1.5	2.1
Fridge compartment(Cu.Ft)	1.5	2.1
Freezer compartment(Cu.Ft)	1	/
Power Supply	LPG; AC 110V/ 220V; DC12V/24V	LPG; AC 110V/ 220V; DC12V/24V
Gas Consumption(kg/24h)	0.1	0.1
Product(W*D*H)(inch)	15.8*17.7*22	18.1*18.9*26.6
Packaging(W*D*H)(inch)	17.7*18.9*24.8	19.7*20.5*28
Loading (40HQ)(pcs)	496	276



Gas Refrigerator

Model	TDG-390B2U
Total Capacity(Cu.Ft)	13.4
Fridge compartment(Cu.Ft)	10.1
Freezer compartment(Cu.Ft)	3.3
Power Supply	LPG; AC 220V
Gas Consumption(kg/24h)	0.8
Product(W*D*H)(inch)	27.2*30.7*69.3
Packaging(W*D*H)(inch)	29.3*33.1*71.1
Loading (40HQ)(pcs)	56











Chest Freezer

Model	TSC-185HU	
Capacity(Cu.Ft)	5	
Climate Class	SN-T	
Defrosting	Manual	
Certification	UL	
Refrigerant	R600a/46g	
Product(W*D*H)(inch)	24.4*22*33.6	
Packaging(W*D*H)(inch)	25.7*22.6*35	
Loading (40HQ)(pcs)	215	

Upright Freezer

Model

Capacity(Cu.Ft)	
Climate Class	
Defrosting	
Certification	
Refrigerant	
Product(W*D*H)(inch)	
Packaging(W*D*H)(inch)	
Loading (40HQ)(pcs)	



Chest Freezer

Model	TSC-324HU
Capacity(Cu.Ft)	8.7
Climate Class	SN-T
Defrosting	Manual
Certification	UL
Refrigerant	R600a/58g
Product(W*D*H)(inch)	39.4*23.5*33.1
Packaging(W*D*H)(inch)	40.5*24.5*34.9
Loading (40HQ)(pcs)	125

Commercial Chest Freezer

Model

Capacity(Cu.Ft) Climate Class Defrosting Certification Refrigerant Product(W*D*H)(inch) Packaging(W*D*H)(inch) Loading (40HQ)(pcs)





TSD-767WHU

21.2			
Т			
No Frost			
UL/DOE/SASO C			
R600a			
32.7*28.7*76.4			
34.7*30.6*81.6			
39			



TDC-262X

9.3 N/ST Manual ETL/CE/CB R290 43.1*23.8*33.1 45.2*25.7*34.8 108





Commercial Chest Freezer

Model	TDC-359X
Capacity(Cu.Ft)	12.7
Climate Class	N/ST
Defrosting	Manual
Certification	ETL/CE/CB
Refrigerant	R290
Product(W*D*H)(inch)	56.1*23.8*33.1
Packaging(W*D*H)(inch)	58.2*25.7*34.8
Loading (40HQ)(pcs)	78





Commercial Chest Freezer

Model	TDH-360X	TDH-460X
Capacity(Cu.Ft)	12.8	16.2
Climate Class	N/ST	N/ST
Defrosting	Manual	Manual
Certification	ETL & NSF	CE /ETL
Refrigerant	R290	R290
Product(W*D*H)(inch)	49.6*27.7*34.4	60.2*27.7*34.4
Packaging(W*D*H)(inch)	52.3*29.9*37.4	63.1*29.9*37.4
Loading (40HQ)(pcs)	73	58





Countertop Microwave

Model	TMD70-20LTSGU(HP3)	TMD70-20LTSGU(A9)
Capacity(Cu.Ft)	0.7	0.7
Power	700W	700W
Voltage/frequency	110V/60Hz	220V/50Hz
Dimension (inch)	17.1*14*10.5	17.8*15.6*10.3
Loading (40HQ)(pcs)	1290	1290



Built-In Microwave

Model	TMB90-23LBSG(H3B)	TMB90-23LBSG(BMB)
Capacity(Cu.Ft)	0.8	0.8
Power	900W	900W
Voltage/frequency	110V/60Hz	110V/60Hz
Dimension (inch)	21.2*15.8*14.4	21.5*16.1*14.8
Loading (40HQ)(pcs)	635	635



Countertop Microwave

Model	TMD100-43LBSG(ZC)	TMD110-43LBMGU(SS)
Capacity(Cu.Ft)	1.5	1.6
Power	1000W	1100W
Voltage/frequency	220V/50Hz	115V/60Hz
Dimension (inch)	21.7*20.2*12.2	21.8*17.8*12.3
Loading (40HQ)(pcs)	545	570



Over the Range Microwave

Model	TMO100-44LBSMU(BB)	TMO100-44LBSMU(CF)
Capacity(Cu.Ft)	1.6	1.6
Power	1000W	1000W
Voltage/frequency	120V/60HZ	120V/60HZ
Packaging Dimension (inch)	33.2*19.2*20	33.2*19.2*20
Loading (40HQ)(pcs)	330	330







Over the Range Microwave

Model	TMO100-44LBSMU(JN)
Capacity(Cu.Ft)	1.6
Power	1000W
Voltage/frequency	120V/60HZ
Packaging Dimension (inch)	33.2*19.2*20
Loading (40HQ)(pcs)	330



Over the Range Microwave

Model	ТМ
Capacity(Cu.Ft)	
Power	
Voltage/frequency	
Dimension (inch)	
Loading (40HQ)(pcs)	



Over the Range Microwave

Model	TMD100-56DBSGU(JC)
Capacity(Cu.Ft)	1.8
Power	1000W
Voltage/frequency	115V/60Hz
Dimension (inch)	29.9*17.8*16.9
Loading (40HQ)(pcs)	329



Commercial Microwave

Model	ТМ
Capacity(Cu.Ft)	
Power	
Voltage/frequency	
Packaging Dimension (inch)	
Loading (40HQ)(pcs)	



MD100-56LBSGU(JA)

1.8 1000W 115V/60Hz 29.9*17.8*16.9 329

MD180-34LBSM(5MA)

1.2 1800W 230V/50Hz 22.5*20.7*14.4 375





Oven

TTB325-70MMU(D0)
2.5
3,250 W &2450W
120/240V & 120/ 208V;50-60Hz
23.4*22.6*23.4
216







Built-in

Model	TDB8-57BMU	TDB12-60BMU
Capacity (Place settings)	8	12
Energy class	Energy Star V6.0	Energy Star
Program Number	6	6
Delay time	1-24 H	1-24 H
Control	Touch	Button
Color	White/Black/Stainless steel	White
Approvals	CSA/Energy Star V6.0	UL/CUL /NSF /Energy Star
Unit dimensions(W*D*H)(inch)	22.4*17.6*32.4	23.8*26.5*33.7
Packing dimensions(W*D*H)(inch)	26.3*20.2*34.8	29.6*25.9*34.8
Loading (40HQ)(pcs)	225	158



Semi Built-in

TDS12-60BGU(401L)	
12	
A+AA	
6	
1-24H	
Touch	
White/Black	
CUL/DOE/Energy Star, Brown box, ISTA 3A	
23.3*22.7*32	
27*26.2*35.8	
153	







Front Loading

Model	TWF-12A12LBM
Capacity(Cu.Ft)	2.7 (IEC 3.1)
Certification	UL/Energy star
Product(W*D*H)(inch)	23.4*23*30.9
Packaging(W*D*H)(inch)	28.5*26.7*33.4
Weight(Net/Gross)(lbs)	160.9/171.9
Loading (40HQ)(pcs)	153



Clothes Dryer

Model	TDF-125ALBM
Capacity(Cu.Ft)	4.4
Certification	UL/Energy star
Product(W*D*H)(inch)	23.4*25.7*33.4
Packaging(W*D*H)(inch)	26.9*27.3*34.8
Weight(Net/Gross)(lbs)	121.2/127.8
Loading (40HQ)(pcs)	150



