

Smeta

SMETA ELECTRIC APPLIANCES CO.,LTD.
Smeta Industrial Park, No.71, Shuyun East Road,
Chengyang District, Qingdao,China.

Website : www.smetagroup.com
Email : info@smetagroup.com
Tel : +86532-80930500
Phone : +8615953202399

REFRIGERATOR

2023 Grow with Smeta





Contents



- 1** Multi-Door Series
01-06
- 2** Double Door Series
07-14
- 3** Mini Fridge
15-16
- 4** Built-in Series
17-18
- 5** Hotel Fridge
19-24
- 6** Retro Fridge
25-27

ABOUT US

Grow with Smeta

Qingdao Smeta Electric Appliances Co., Ltd. (SMETA) was established in 1999. After many years of hard work, we have become a normalized and professional enterprise. Now SMETA has a staff of 600 persons and an annual output of 350 million Yuan. One sole proprietorship factory and two joint venture factories which are equipped with top-level production equipment and testing facilities can provide support for us.

Company Culture

At SMETA we work as a close-knit family, not only within ourselves but also with our clients. We believe that unity and teamwork make the path for our success. Our mutual trust fosters a culture that embraces curiosity and challenges, which allows us to exceed our clients expectations and succeed in every way.

Our Vision

To be the top manufacturer and exporter of electric home appliances, offering high quality products developed by creative thinking to ensure customers' total satisfaction.

Social Responsibility

Smeta is a great place to work. We care about our people and think about our employees as partners to cultivate the full potential of them and encourage them to pursue work-life balance.

We believe in the coexistence of humans and nature to reach the productive harmony, capable of fulfilling social and economic requirements for present and future generations.

Our Mission

We are customer-centric and create a future growth market. We encourage and demand in-depth development and responsible actions. We are always one step ahead of the competition.



01 Multi-Door Series

Enjoy a cool lifestyle





French Door

Model	TM-632WH	TM-728WH
Total Capacity(L/Cu.Ft)	486/17.2	560/19.8
Fridge compartment(L)	337	329
Freezer compartment(L)	149	151
Defrost Type	Frost Free	Frost Free
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European Class F/E(A+/A++)	European Class F
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	704*694*2000	912*725*1785
Packaging(W*D*H)(mm)	750*738*2111	968*778*1901
Weight(Net/Gross kg)	95/104	141/152
Loading (40HQ)	48pcs	36pcs



French Door

Model	TM-808WSMU
Total Capacity(L/Cu.Ft)	611.6/21.6
Fridge compartment(L)	350+74.8
Freezer compartment(L)	188
Defrost Type	Automatic
Certification	UL
Energy Efficiency	E-star
Refrigerant	R600a
Product(W*D*H)(mm)	909*737*1776
Packaging(W*D*H)(mm)	965*787*1880
Weight(Net/Gross kg)	337/359
Loading (40HQ)	48pcs



French Door

Model	TM-707WSHU	TM-762WH
Total Capacity(L/Cu.Ft)	591.8/20.9	596/21.1
Fridge compartment(L)	417	419
Freezer compartment(L)	174.7	177
Defrost Type	Frost-free	Frost Free
Certification	UL	CE/GS/CB
Energy Efficiency	E-star	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	914*726*1778	914*724*1778
Packaging(W*D*H)(mm)	953*762*1854	968*778*1891
Weight(Net/Gross kg)	265/295	120/130
Loading (40HQ)	36pcs	36pcs



Cross Door

Model	TM-562WHE	TM-512WHE
Total Capacity(L/Cu.Ft)	452/16	486/17.2
Fridge compartment(L)	292	321
Freezer compartment(L)	80	83
Defrost Type	Frost Free	Frost Free
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European Class F	European Class E/D
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	794*706*1817	790*685*1785
Packaging(W*D*H)(mm)	854*763*1900	845*735*1890
Weight(Net/Gross kg)	102/110	86/95
Loading (40HQ)	55pcs	58pcs



Cross Door

Model	TM-585W3	TM-794WHE
Total Capacity(L/Cu.Ft)	542/19.1	611/21.6
Fridge compartment(L)	367	394
Freezer compartment(L)	175	109
Defrost Type	Frost Free	Frost Free
Certification	CE/CB/SASO	CE/GS/CB
Energy Efficiency	European Class A+	European Class F
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	911*706*1830	912*725*1785
Packaging(W*D*H)(mm)	968*750*1895	968*778*1901
Weight(Net/Gross kg)	94/104	118.5/127.5
Loading (40HQ)	48pcs	36pcs



Side by Side

Model	TW-673WHE	TW-606WHI3
Total Capacity(L/Cu.Ft)	519/18.3	552/19.5
Fridge compartment(L)	334	175
Freezer compartment(L)	185	377
Defrost Type	Frost Free	Frost Free
Certification	CE/GS	CB/CE/SASO
Energy Efficiency	European Class F/E/D(A+/A++/A+++)	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	910*643*1786	911*706*1780
Packaging(W*D*H)(mm)	966*720*1885	991*757*1845
Weight(Net/Gross kg)	85/95	104/114
Loading (40HQ)	48pcs	48pcs



Side by Side

Model	TW-692WH	TW-566WA1U
Total Capacity(L/Cu.Ft)	560/19.8	566.3/20.0
Fridge compartment(L)	365	381.7
Freezer compartment(L)	167	184.9
Defrost Type	Frost Free	Frost Free
Certification	CE/GS	UL
Energy Efficiency	European Class F/E(A+/A++)	E-star/
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	910*743*1787	914*706*1778
Packaging(W*D*H)(mm)	979*777*1877	968*750*1845
Weight(Net/Gross kg)	110/121	97/107
Loading (40HQ)	48pcs	48pcs



Side by Side

Model	TW-606W3
Total Capacity(L/Cu.Ft)	570/20.1
Fridge compartment(L)	377
Freezer compartment(L)	193
Defrost Type	Frost Free
Certification	CB/CE/SASO
Energy Efficiency	European Class A+
Refrigerant	R600a
Product(W*D*H)(mm)	911*706*1780
Packaging(W*D*H)(mm)	968*750*1845
Weight(Net/Gross kg)	86/96
Loading (40HQ)	48pcs

02 Double Door Series

Keep food fresh and at its best





Auto Defrost-Top Mount

Model	TDT-200WTA	TDT-286WMU
Total Capacity(L/Cu.Ft)	200/7.1	203/7.2
Fridge compartment(L)	142	143
Freezer compartment(L)	58	60
Defrost Type	Frost Free	Automatic
Refrigerant	R600a	R600a
Energy Class	3.5 stars	MEPS 3 stars
Certification	SAA	CE/CB
Product(W*D*H)(mm)	545*600*1430	545*623*1372
Packaging(W*D*H)(mm)	578*625*1472	580*675*1423
Weight(Net/Gross kg)	44/50	48/53
Loading (40HQ)	133pcs	126pcs



Auto Defrost-Top Mount

Model	TDT-268WMU	TDT-286WTA
Total Capacity(L/Cu.Ft)	252/8.9	286/10.1
Fridge compartment(L)	198	225
Freezer compartment(L)	54	61
Defrost Type	Automatic	Frost Free
Refrigerant	R600a	R600a
Energy Class	MEPS 2 stars	3.5 star A+
Certification	CE/CB	SAA
Product(W*D*H)(mm)	545*623*1657	545*620*1770
Packaging(W*D*H)(mm)	580*675*1707	584*656*1848
Weight(Net/Gross kg)	55/61.5	52/58
Loading (40HQ)	98pcs	97pcs



Auto Defrost-Top Mount

Model	TDT-270WA1	TDT-368WA1
Total Capacity(L/Cu.Ft)	243/8.6	332/11.8
Fridge compartment(L)	58	58
Freezer compartment(L)	162	212
Defrost Type	Frost Free	Frost Free
Refrigerant	R600a	R600a
Energy Class	A+ 4 star	A+ 4 star
Certification	/	/
Product(W*D*H)(mm)	545*580*1664	600*645*1730
Packaging(W*D*H)(mm)	580*620*1710	635*685*1760
Weight(Net/Gross kg)	48/52	58/63
Loading (40HQ)	99pcs	74pcs



Auto Defrost-Top Mount

Model	TDT-547WH	TDT-498WA1
Total Capacity(L/Cu.Ft)	421/14.9	466/16.6
Fridge compartment(L)	321	106
Freezer compartment(L)	100	392
Defrost Type	Automatic	Frost Free
Refrigerant	R600a	R600a
Energy Class	NOM/MEPS2018	A+ 4 star
Certification	NOM/CE/GS/CB/SAA	/
Product(W*D*H)(mm)	700*685*1720	700*680*1845
Packaging(W*D*H)(mm)	750*731*1825	771*755*1895
Weight(Net/Gross kg)	69/77	74/80
Loading (40HQ)	67pcs	66pcs



Auto Defrost-Top Mount

Model	TDT-651WH	TDT-510WSA1U
Total Capacity(L/Cu.Ft)	501/17.7	514/18.16
Fridge compartment(L)	384	393
Freezer compartment(L)	117	121
Defrost Type	Automatic	Frost Free
Refrigerant	R600a	R600a
Energy Class	MEPS2018 4/5 Star	Energy Star
Certification	CB/SAAGCC	UL
Product(W*D*H)(mm)	794*685*1720	749*781*1687
Packaging(W*D*H)(mm)	843*734*1795	780*815*1770
Weight(Net/Gross kg)	78/85	/
Loading (40HQ)	63pcs	61pcs



Auto Defrost-Top Mount

Model	TDT-717WH	TDT-610WA1
Total Capacity(L/Cu.Ft)	552/19.5	580/20.7
Fridge compartment(L)	433	160
Freezer compartment(L)	119	450
Defrost Type	Automatic	Frost Free
Refrigerant	R600a	R600a
Energy Class	MEPS2018/E	A++/E;A+ 4 star
Certification	CE/GS/CB	/
Product(W*D*H)(mm)	794*685*1852	855*733*1835
Packaging(W*D*H)(mm)	840*731*1925	902*770*1908
Weight(Net/Gross kg)	81/89	89/97
Loading (40HQ)	58pcs	51pcs



Auto Defrost-Top Mount

Model	TDT-600WSA1U
Total Capacity(L/Cu.Ft)	582/20.57
Fridge compartment(L)	444
Freezer compartment(L)	138
Defrost Type	Frost Free
Refrigerant	R600a
Energy Class	Energy Star
Certification	UL
Product(W*D*H)(mm)	831*781*1687
Packaging(W*D*H)(mm)	887*836*1770
Weight(Net/Gross kg)	/
Loading (40HQ)	41pcs



Auto Defrost-Bottom Mount

Model	TDB-390WSHE	TDB-435WH
Total Capacity(L/Cu.Ft)	300/10.6	334/11.8
Fridge compartment(L)	205	245
Freezer compartment(L)	95	89
Defrost Type	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	F	A+
Certification	CE/CB/GS	CE/GS
Product(W*D*H)(mm)	595*592*1859	595*681*2003
Packaging(W*D*H)(mm)	645*628*1935	647*691*2078
Weight(Net/Gross kg)	70/77	77/83.5
Loading (40HQ)	76pcs	54pcs



Auto Defrost-Bottom Mount

Model	TDB-546WHU
Total Capacity(L/Cu.Ft)	419/14.8
Fridge compartment(L)	307
Freezer compartment(L)	112
Defrost Type	Frost-free
Refrigerant	R600a
Energy Class	E-star
Certification	UL
Product(W*D*H)(mm)	701*681*1720
Packaging(W*D*H)(mm)	749*734*1826
Weight(Net/Gross kg)	154/171
Loading (40HQ)	67pcs



Manual Defrost-Top Mount

Model	TDT-88L	TDT-210L
Total Capacity(L/Cu.Ft)	80/2.8	210/7.4
Fridge compartment(L)	54	159
Freezer compartment(L)	26	42
Defrost Type	Manual	Manual
Refrigerant	R134a/R600a	R134a/R600a
Energy Class	A/A+	A+/A++
Certification	CE/CB	CE/CB
Product(W*D*H)(mm)	456*525*850	550*568*1410
Packaging(W*D*H)(mm)	510*580*880	580*590*1450
Weight(Net/Gross kg)	25/27.5	41/45
Loading (40HQ)	288pcs	144pcs



Manual Defrost-Top Mount

Model	TDT-328U	TDT-472U
Total Capacity(L/Cu.Ft)	328/11.6	472/16.7
Fridge compartment(L)	108	142
Freezer compartment(L)	220	330
Defrost Type	Manual	Manual
Refrigerant	R134a/R600a	R134a
Energy Class	A	A
Certification	CE/CB	CE/CB/Uruguay Energy
Product(W*D*H)(mm)	604*620*1545	705*597*1770
Packaging(W*D*H)(mm)	660*690*1600	772*692*1844
Weight(Net/Gross kg)	48/52	60/64
Loading (40HQ)	79pcs	70pcs



Manual Defrost-Bottom Mount

Model	TDB-215DH
Total Capacity(L/Cu.Ft)	165/5.8
Fridge compartment(L)	122
Freezer compartment(L)	43
Defrost Type	Manual
Refrigerant	R600a
Energy Class	F
Certification	CE/CB/GS
Product(W*D*H)(mm)	495*562*1430
Packaging(W*D*H)(mm)	521*585*1500
Weight(Net/Gross kg)	41/49
Loading (40HQ)	156pcs

03 Mini Fridge
Maximize Space





Mini Fridge

Model	TSF-48D6
Total Capacity(L/Cu.Ft)	48/1.7
Defrosting	Manual
Energy Class	E
Certification	SAA / ETL/CE/MEPS/PSE
Refrigerant	R134a/R600a
Unit size WxDxH(mm)	450*450*510
Box Size WxDxH(mm)	495*465*530
Weight N/G (Kg)	14.3/15.5
Loading (40HQ)	580pcs



Mini Fridge

Model	TSF-95D6
Total Capacity(L/Cu.Ft)	91/3.2
Defrosting	Manual
Energy Class	/
Certification	SAA/ETL/DOE/CE
Refrigerant	R134a/R600a
Unit size WxDxH(mm)	470*450*850
Box Size WxDxH(mm)	520*465*865
Weight N/G (Kg)	21.5/23.5
Loading (40HQ)	338pcs

04 Built-in Series
Fits perfectly in your kitchen





Double Door

Model	TDB-294WHE	TDB-312WHE
Total Capacity(L)	226/8	240/8.5
Fridge compartment(L)	148	183
Freezer compartment(L)	78	57
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Efficiency	European Class A+	European Class A+ /A++
Certification	CE/GS/CB	CE/GS/CB
Product(W*D*H)(mm)	540*540*1772	540*540*1772
Packaging(W*D*H)(mm)	585*564*1875	585*564*1875
Weight(Net/Gross kg)	54/59	53/58
Loading (40HQ)	109pcs	109pcs



Single Door

Model	TSL-179DH
Total Capacity(L)	137/4.8
Fridge compartment(L)	137
Freezer compartment(L)	/
Defrosting	Manual
Refrigerant	R600a
Energy Efficiency	European Class E/F(A+/A++)
Certification	CE/GS/CB
Product(W*D*H)(mm)	595*545*818
Packaging(W*D*H)(mm)	628*570*888
Weight(Net/Gross kg)	28/31
Loading (40HQ)	226pcs



05 Hotel Fridge
Delivering a superior guest experience



Absorption-Glass Door

Model	TSX-30B2E(T)	TSX-50B2E(T)
Total Capacity(L/Cu.Ft)	26/0.9	41/1.5
Input power	65W	90W
Energy consumption(Kwh/24h)	1	1.22
Certification	CE/CB/ETL	CE/CB/ETL
Product(W*D*H /mm)	External: 402*465*500;Internal: 312*225*395	External: 402*465*670;Internal: 312*250*565
Packing(W*D*H /mm)	450*470*540	450*495*710
Kg (Net / Gross)	18/20	21/23.5
Loading (40HQ)	620pcs	438pcs



Absorption-Solid Door

Model	TSX-60B2E
Total Capacity(L/Cu.Ft)	44.5/1.6
Input power	90W
Energy consumption(Kwh/24h)	0.74
Certification	CE/CB/ETL
Product(W*D*H /mm)	External: 460*480*605;Internal:360*265*500
Packing(W*D*H /mm)	500*520*640
Kg (Net / Gross)	21.5/24
Loading (40HQ)	368pcs



Absorption-Solid Door

Model	TSX-28BT	TSX-40B2E
Total Capacity(L/Cu.Ft)	28/1.2	33/1.2
Input power	60W	65W
Energy consumption(Kwh/24h)	0.8	0.71
Certification	CE/CB/GS/KC/PSE/ROHS	CE/CB/ETL
Product(W*D*H /mm)	400*390*440	External: 402*465*560;Internal:312*250*455
Packing(W*D*H /mm)	425*435*500	450*495*600
Kg (Net / Gross)	12/13.5	17.5/19.5
Loading (40HQ)	675pcs	496pcs



Thermoelectric

Model	TSL-12EB7(GB)	TSL-25EB7(E)
Total Capacity(L/Cu.Ft)	12/0.4	20/0.7
Input power	65W	60W
Energy consumption(Kwh/24h)	/	0.3
Certification	CE / CB / CCC / RoHS / REACH	CE / CB / CCC / ETL / ROHS / REACH
Product(W*D*H /mm)	402*222*522	402*351*448
Packing(W*D*H /mm)	465*295*605	457*403*488
Kg (Net / Gross)	11.6/13	9.8/11.1
Loading (40HQ)	830pcs	725pcs



Thermoelectric

Model	TSL-32EB7(E)	TSL-30EB7(11)
Total Capacity(L/Cu.Ft)	25/0.9	26/0.9
Input power	65W	65W
Energy consumption(Kwh/24h)	0.39	0.28
Certification	CE / CB / CCC / ETL / ROHS / REACH	ETL / ROHS / CCC / CE / CB
Product(W*D*H /mm)	380*445*475	380*440*465
Packing(W*D*H /mm)	430*515*520	430*515*520
Kg (Net / Gross)	11/12.5	9/10.4
Loading (40HQ)	615pcs	615pcs



Thermoelectric

Model	TSL-36EB7(B)
Total Capacity(L/Cu.Ft)	36/1.3
Input power	65W
Energy consumption(Kwh/24h)	0.53
Certification	ETL/CE/ROHS
Product(W*D*H /mm)	380*445*475
Packing(W*D*H /mm)	430*510*520
Kg (Net / Gross)	9.22/10.62
Loading (40HQ)	615pcs



Thermoelectric

Model	TSL-40EB7(A)	TSL-40EB7(B)
Total Capacity(L/Cu.Ft)	32/1.1	32/1.1
Input power	65W	65W
Energy consumption(Kwh/24h)	0.6	0.6
Certification	ETL / ROHS / CCC / CE / CB	ETL / ROHS / CCC / CE / CB
Product(W*D*H /mm)	405*443*545	405*443*545
Packing(W*D*H /mm)	460*495*585	460*495*585
Kg (Net / Gross)	13.2/14.2	13.2/14.2
Loading (40HQ)	549pcs	549pcs



Thermoelectric

Model	TSL-50EB7(BG)
Total Capacity(L/Cu.Ft)	37/1.3
Input power	65W
Energy consumption(Kwh/24h)	0.551
Certification	CCC / CE / CB / ETL / REACH / RoHS
Product(W*D*H /mm)	405*487*545
Packing(W*D*H /mm)	460*540*585
Kg (Net / Gross)	14/16
Loading (40HQ)	440pcs



Thermoelectric

Model	TSL-48EB7(C)
Total Capacity(L/Cu.Ft)	48/1.7
Input power	83W
Energy consumption(Kwh/24h)	0.6
Certification	ETL/ROHS/CCC/CE/CB/SAA
Product(W*D*H /mm)	430*480*510
Packing(W*D*H /mm)	460*510*535
Kg (Net / Gross)	12.2/13.2
Loading (40HQ)	548pcs



Thermoelectric

Model	TSL-45EB7(B)	TSL-70EB7
Total Capacity(L/Cu.Ft)	45/1.6	70/2.5
Input power	65W	83W
Energy consumption(Kwh/24h)	0.6	0.72
Certification	CBCE	CB/ETL/CE/SAA
Product(W*D*H /mm)	495*455*412	430*520*740
Packing(W*D*H /mm)	550*515*485	465*550*780
Kg (Net / Gross)	11.05/12.5	15.5/18.4
Loading (40HQ)	440pcs	361pcs

06 **Retro Fridge**
vintage vibe with modern performance





Single Door

Model	TSR-135RL
Total Capacity(L/Cu.Ft)	118/4.2
Fridge compartment(L)	108
Freezer compartment(L)	10
Defrost	Manual
Certificate	CB/CE
Energy Class	A++/F
Refrigerant	R600a
Product Size(mm)	550*620*860
Packaging Size(mm)	580*645*885
Weight(Net/Gross kg)	30/33
Loading (40HQ)	211pcs



Double Door

Model	TDR-218RL
Total Capacity(L/Cu.Ft)	208/7.3
Fridge compartment(L)	160
Freezer compartment(L)	48
Defrost	Manual
Certificate	CB/CE
Energy Class	A+/F
Refrigerant	R600a
Product Size(mm)	550*620*1480
Packaging Size(mm)	580*645*1510
Weight(Net/Gross kg)	41/45
Loading (40HQ)	122pcs



Double Door

Model	TDR-138RL
Total Capacity(L/Cu.Ft)	136/4.8
Fridge compartment(L)	96
Freezer compartment(L)	40
Defrost	Manual
Certificate	CB/CE
Energy Class	A+/F
Refrigerant	R600a
Product Size(mm)	470*510*1310
Packaging Size(mm)	490*540*1335
Weight(Net/Gross kg)	31/35
Loading (40HQ)	192pcs



Double Door

Model	TDR-280RL
Total Capacity(L/Cu.Ft)	260/9.2
Fridge compartment(L)	212
Freezer compartment(L)	68
Defrost	Manual
Certificate	CE/CB
Energy Class	A+/F
Refrigerant	R600a
Product Size(mm)	550*625*1760
Packaging Size(mm)	580*645*1790
Weight(Net/Gross kg)	47/52
Loading (40HQ)	97pcs